

WILD Series
Thermal Imaging

Thermal Imaging Monocular Wild 635

Technical Specifications



ThermTec Technology Co., Ltd. Email: info@thermeyetec.com

Website: https://www.thermeyetec.com





WILD 635

Key Features

- 640*512 thermal resolution, NETD≤18mk;
- 1x--4x continuous digital zoom;
- Al rangefinder;
- Various pseudo colors;
- Joystick control design, wheel focusing realizes one-hand operation;
- Super large aperture offers better temperature radiation capturing capability;
- 1024*768 resolution with 0.39 inch OLED display;
- Up to 8h continuous working for lithium battery;
- Forest/Target outline mode

Applications

- Night hunting
- Observation
- Rescue operations
- Hiking and traveling


Specifications

	٠,	-	
_		1	
	ľ		

Model	Wild635	
	Microbolometer	
Resolution	640x512	
Pixel Pitch	12μm	
NETD	18mk@300k	
Spectral range	8-14µm	
Frame rate	50HZ	
Detection Range	1800m	
	Optics	
Objective lens	35mm/F0.9	
Field of view	12.5° x 10°	
Magnification	2.0X	
Digital Zoom	1-4X continuous zoom	
Eye relief	40mm	
Exit pupil	6mm	
Diopter	±5D	
	Display	
Туре	AMOLED	
Resolution	1024x768	
Display size	0.39 inch	
Color palette	6	
Image mode	Forest/Outline	

Function		
Photo/video playback	Yes	
Language	Multiple-languages	
Built-in Memory	64GB	
PIP	Yes	
Al Distance Measurement	Yes	
Heat Track	Yes	
Real-time Notification	Yes	
OSD Recording	Yes	
EIS	Yes	
	Battery	
Internal battery	Replaceable and Rechargeable Li-ion Battery (18650x1)	
Battery life	8h	
	Interface	
Type-C	Supports battery charging, data transfer, USB video output	
Hotspot	Yes, App remote control	
	Environment	
Working temperature	-20°C—+50°C	
Protection Level	IP67	
Weight, g	475±5g	
Size,mm	190.2(L)x69.3(W)x58.7(H)	
	Accessories	
External Cable	USB cable	
Other Accessories	Palm strap/Protective bag/Non-dust cloth and etc.	

Accessories



Dimension

Unit: mm

